SSNAP Clinical Executive Summaries - Wessex

An overview of hospital stroke care quality up to November 2016


The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland.

This regional pack contains an overview of the hospitals' overall SSNAP score performance in a series of graphs charting the change in score over time for each hospital. The overall SSNAP score is a composite score combining the achievement on 44 care process measures derived from National Clinical Guidelines for Stroke and adjusted for case ascertainment and audit compliance. The 44 key indicators are grouped into 10 domains of care. The change over time in this overall score has been summarised in two ways:

- Performance over the whole two and a half year period has been characterised as
 Improving, Not Improving or Worsening depending on the slope of a trend line plotted
 through all the hospital's scores at every time point.
- Recent performance has been characterised as Good, Adequate or Poor depending on where the trend line meets the latest time period.

This regional pack also contains the individual executive summaries of the stroke care provided by the hospitals in this region between April 2014 and November 2016. These executive summaries highlight areas of good, adequate and poor performance in order to identify key areas to draw up action plans for improvement. Further information on resource use for stroke is given including activity, length of stay, cost of stroke and admissions to care homes after stroke. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Nationally, it is encouraging to see that most teams are "Improving", though there are a number of teams who are consistently not achieving "Adequate" scores, and it is concerning that performance within a few services appears to be deteriorating.



Distribution of categories for all hospitals which routinely admit stroke patients in England, Wales and Northern Ireland


Wessex SCN: SSNAP Clinical Executive Summaries


Overall SSNAP score performance from April 2014 to November 2016

Routinely admitting teams:


Good and Improving









Adequate and Improving



Poor and Not Improving






Southampton General Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

| Performance in key indicators of care quality over the past year | | | |
|---|--|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| | | | |
| Speech and Language Therapy | (None) | Scanning Stroke Unit Thrombolysis Specialist Assessments Occupational Therapy Physiotherapy Multidisciplinary Team Working Standards by Discharge Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Southampton General Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 267 patients, of which:

263 patients were first admitted to this hospital 4 patients were transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=267 | N=227 |
| 0-3 days | 40.3% (11,087 patients) | 40.1% (107) | 42.3% (96) |
| 4-7 days | 20.3% (5,580 patients) | 16.1% (43) | 15.9% (36) |
| 8-21 days | 21.4% (5,886 patients) | 18.4% (49) | 15.0% (34) |
| 22-30 days | 5.3% (1,446 patients) | 6.4% (17) | 5.7% (13) |
| 31+ days | 12.8% (3,508 patients) | 19.1% (51) | 21.1% (48) |
| Mean | 14.0 days | 18.4 days | 19.3 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 15% |
|------------------------|--|------------|
| Cost Savings | Thrombolysis rate at top 20 performing units | 20% |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | £4,100 |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs |
| Early Supported | Your current rate of discharge with ESD | 22% |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs |


Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 10.5% (24/228) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.


For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- O Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.










Royal Hampshire County Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

| Performance in key indicators of care quality over the past year | | | |
|---|--|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| (None) | Scanning Stroke Unit Thrombolysis Speech and Language Therapy Standards by Discharge | Specialist Assessments Occupational Therapy Physiotherapy Multidisciplinary Team Working Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Royal Hampshire County Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 199 patients, of which:

196 patients were first admitted to this hospital 3 patients were transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=199 | N=172 |
| 0-3 days | 40.3% (11,087 patients) | 48.7% (97) | 53.5% (92) |
| 4-7 days | 20.3% (5,580 patients) | 20.6% (41) | 16.9% (29) |
| 8-21 days | 21.4% (5,886 patients) | 17.6% (35) | 16.3% (28) |
| 22-30 days | 5.3% (1,446 patients) | 4.0% (8) | 4.7% (8) |
| 31+ days | 12.8% (3,508 patients) | 9.0% (18) | 8.7% (15) |
| Mean | 14.0 days | 11.3 days | 10.7 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 10% |
|------------------------|--|------------|
| Cost Savings | Thrombolysis rate at top 20 performing units | 20% |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | £4,100 |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs |
| Early Supported | Your current rate of discharge with ESD | 35% |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs |


Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 7.7% (13/169) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- O Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.








Queen Alexandra Hospital Portsmouth - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

| Performance in key indicators of care quality over the past year | | | |
|---|---|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| | | | |
| Stroke Unit Thrombolysis | Scanning Speech and Language Therapy Multidisciplinary Team Working | Specialist Assessments Occupational Therapy Physiotherapy Standards by Discharge Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Queen Alexandra Hospital Portsmouth - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 368 patients, of which:

364 patients were first admitted to this hospital 4 patients were transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=368 | N=315 |
| 0-3 days | 40.3% (11,087 patients) | 38.0% (140) | 38.7% (122) |
| 4-7 days | 20.3% (5,580 patients) | 15.8% (58) | 14.0% (44) |
| 8-21 days | 21.4% (5,886 patients) | 24.2% (89) | 22.5% (71) |
| 22-30 days | 5.3% (1,446 patients) | 4.6% (17) | 4.8% (15) |
| 31+ days | 12.8% (3,508 patients) | 17.4% (64) | 20.0% (63) |
| Mean | 14.0 days | 16.9 days | 18.2 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 13% | |
|------------------------|--|------------|--|
| Cost Savings | Thrombolysis rate at top 20 performing units | | |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | £4,100 | |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 | |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 | |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs | |
| Early Supported | Your current rate of discharge with ESD | 59% | |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% | |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 | |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 | |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 | |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs | |

Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 8.6% (27/313) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- O Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- O Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.










Royal Bournemouth General Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016



Performance recently has generally been:

Good

This hospital's performance over the two and a half years has generally been:

Improving

| Performance in key indicators of care quality over the past year | | | |
|---|--|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| (None) | Scanning Stroke Unit Thrombolysis | Specialist Assessments Occupational Therapy Physiotherapy Speech and Language Therapy Multidisciplinary Team Working Standards by Discharge Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Royal Bournemouth General Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 259 patients, of which:

259 patients were first admitted to this hospital 0 patients were transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=259 | N=219 |
| 0-3 days | 40.3% (11,087 patients) | 37.1% (96) | 37.4% (82) |
| 4-7 days | 20.3% (5,580 patients) | 20.1% (52) | 18.7% (41) |
| 8-21 days | 21.4% (5,886 patients) | 20.8% (54) | 21.0% (46) |
| 22-30 days | 5.3% (1,446 patients) | 6.6% (17) | 5.9% (13) |
| 31+ days | 12.8% (3,508 patients) | 15.4% (40) | 16.9% (37) |
| Mean | 14.0 days | 15.1 days | 15.4 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 12% |
|------------------------|--|------------|
| Cost Savings | Thrombolysis rate at top 20 performing units | 20% |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | £4,100 |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs |
| Early Supported | Your current rate of discharge with ESD | 45% |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs |


Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 13.2% (29/219) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.


For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- O Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.









Poole Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Performance recently has generally been:

Adequate

This hospital's performance over the two and a half years has generally been:

Improving

| Performance in key indicators of care quality over the past year | | | |
|---|---|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| Specialist Assessments Standards by Discharge | Scanning Stroke Unit Thrombolysis Speech and Language Therapy | Occupational Therapy Physiotherapy Multidisciplinary Team Working Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Poole Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 192 patients, of which:

191 patients were first admitted to this hospital 1 patient was transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=192 | N=158 |
| 0-3 days | 40.3% (11,087 patients) | 43.8% (84) | 46.2% (73) |
| 4-7 days | 20.3% (5,580 patients) | 11.5% (22) | 9.5% (15) |
| 8-21 days | 21.4% (5,886 patients) | 18.8% (36) | 15.2% (24) |
| 22-30 days | 5.3% (1,446 patients) | 6.3% (12) | 6.3% (10) |
| 31+ days | 12.8% (3,508 patients) | 19.8% (38) | 22.8% (36) |
| Mean | 14.0 days | 16.9 days | 17.8 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 10% |
|------------------------|--|------------|
| Cost Savings | Thrombolysis rate at top 20 performing units | 20% |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs |
| Early Supported | Your current rate of discharge with ESD | 50% |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs |


Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 12.7% (20/157) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.


For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are organised (e.g. staffing levels, acute care protocols and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.










St Mary's Hospital Newport - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.



| Performance in key indicators of care quality over the past year | | | |
|--|--|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| | | | |
| Stroke Unit Thrombolysis Specialist Assessments Occupational Therapy Speech and Language Therapy | Physiotherapy Multidisciplinary Team Working | Scanning Standards by Discharge Discharge Processes | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

St Mary's Hospital Newport - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 112 patients, of which:

110 patients were first admitted to this hospital 2 patients were transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=112 | N=95 |
| 0-3 days | 40.3% (11,087 patients) | 18.8% (21) | 15.8% (15) |
| 4-7 days | 20.3% (5,580 patients) | 20.5% (23) | 22.1% (21) |
| 8-21 days | 21.4% (5,886 patients) | 32.1% (36) | 30.5% (29) |
| 22-30 days | 5.3% (1,446 patients) | 7.1% (8) | 8.4% (8) |
| 31+ days | 12.8% (3,508 patients) | 21.4% (24) | 23.2% (22) |
| Mean | 14.0 days | 22.4 days | 22.8 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 3% | |
|------------------------|--|------------|--|
| Cost Savings | Thrombolysis rate at top 20 performing units | | |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | | |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 | |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 | |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs | |
| Early Supported | Your current rate of discharge with ESD | 58% | |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% | |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 | |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 | |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 | |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs | |


Admissions to care homes after stroke


Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 17.4% (16/92) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- Nationally benchmarked data on how effectively stroke services are organised (e.g. staffing levels, acute care protocols and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.







Dorset County Hospital - SSNAP Executive Summary

The Sentinel Stroke National Audit Programme (SSNAP) is the National Clinical Audit for Stroke and the main source of stroke data in the NHS. Data is collected on every stroke patient admitted to hospital in England, Wales and Northern Ireland. This is a summary of the stroke care provided by this hospital over the last two and a half years highlighting areas of good, adequate and poor performance. It should be shared with everyone involved in developing and providing stroke care in this hospital, including the non-executive team and managers, in order to draw up action plans for improvement. The SSNAP website has a range of additional tools to help drill down deeper into the data and identify ways to improve.

Overall SSNAP score performance from April 2014 to November 2016 100 Performance recently has generally been: 80 В Poor SSNAP Score 60 This hospital's performance over the two and a half years 40 Ε has generally been: 20 Not This team = Poor and Not Improving **Improving** AND THEY 2016

| Performance in key indicators of care quality over the past year | | | |
|---|--|---|--|
| Mainly LOW scoring domains (D or E average): | Mainly ADEQUATE domains (C average): | Mainly GOOD domains (A or B average): | |
| | | | |
| Scanning Specialist Assessments Multidisciplinary Team Working Standards by Discharge Discharge Processes | Stroke Unit Thrombolysis Physiotherapy | Occupational Therapy Speech and Language Therapy | |
| **areas to focus quality improvement on, as require substantial improvement | **areas where further improvements are still needed. | **areas to celebrate success, maintain performance and identify whether further improvements are feasible. | |

For further information about performance in different domains of care and scoring methodology, visit our results portal:

Dorset County Hospital - SSNAP Executive Summary

Activity and length of stay

In August-November 2016 this hospital treated 132 patients, of which:

131 patients were first admitted to this hospital 1 patient was transferred in from another hospital

| Length of stay: | For all routinely admitting teams nationally | For all patients treated at this team | For patients discharged/transferred alive from this team |
|-----------------|--|---------------------------------------|--|
| | N=27,507 | N=132 | N=116 |
| 0-3 days | 40.3% (11,087 patients) | 41.7% (55) | 42.2% (49) |
| 4-7 days | 20.3% (5,580 patients) | 17.4% (23) | 16.4% (19) |
| 8-21 days | 21.4% (5,886 patients) | 23.5% (31) | 22.4% (26) |
| 22-30 days | 5.3% (1,446 patients) | 4.5% (6) | 5.2% (6) |
| 31+ days | 12.8% (3,508 patients) | 12.9% (17) | 13.8% (16) |
| Mean | 14.0 days | 14.4 days | 15.0 days |

Cost of stroke

These costs have been derived from the SSNAP health economic model. This estimates the average cost of stroke according to patients' age, sex, stroke type and stroke severity. NHS costs include acute treatment costs, bed stays, inpatient and post-discharge rehabilitation, drug prescribing and follow up GP and hospital visits. Social care costs include the costs of nursing home admission and packages of care. They are not the costs for a specific hospital, but the average cost across all providers. The model explored the cost effectiveness of two evidence-based interventions for acute stroke patients; thrombolysis and discharge with Early Supported Discharge. Both of these interventions are appropriate for a subset of acute stroke patients.

| Thrombolysis | Your current thrombolysis rate | 8% |
|------------------------|--|------------|
| Cost Savings | Thrombolysis rate at top 20 performing units | 20% |
| over 5 years: | Average NHS cost saving by thrombolysing 1 more eligible patient | |
| | Average social care cost saving by thrombolysing 1 more eligible patient | £6,900 |
| | Overall average cost saving by thrombolysing 1 more eligible patient | £11,000 |
| | Average quality-adjusted life-years gained by thrombolysing 1 more eligible patient | 0.26 QALYs |
| Early Supported | Your current rate of discharge with ESD | 28% |
| Discharge (ESD) | Rate of discharge with ESD at top 20 performing units | 60% |
| Cost Savings | Average NHS cost saving by discharging 1 more eligible patient with ESD | £1,600 |
| over 5 years: | Average social care cost saving by discharging 1 more eligible patient with ESD | £8,700 |
| | Overall average cost saving by discharging 1 more eligible patient with ESD | £10,300 |
| | Average quality-adjusted life-years gained by discharging 1 more eligible patient with ESD | 0.14 QALYs |

Admissions to care homes after stroke

Nationally, 7.0% of patients discharged alive from inpatient care between August-November 2016 were newly institutionalised into a care home for the first time upon leaving hospital. This compares to 5.9% (7/119) for patients treated by this hospital and discharged from inpatient care either by this hospital or another hospital.

For further information, visit our results portal:

www.strokeaudit.org/results

- O Data on stroke care quality for all services in England, Wales and Northern Ireland
- O Regional slideshows and Easy Access Versions
- o Reporting outputs for Clinical Commissioning Groups (CCGs) in England and Local Health Boards (LHBs) in Wales
- O Information about patient outcomes (30 day all cause mortality and AF outcomes)
- Data about **patient characteristics** (e.g. AF, age profiles)
- O Nationally benchmarked data on how effectively stroke services are **organised** (e.g. **staffing levels**, acute care **protocols** and provision of specialist services)
- O Interactive root-cause analysis tools for to help to speed up thrombolysis and intra-arterial intervention times (requires log-in)
- O Detailed data on the **costs of stroke**, and the **costs and benefits** of improving thrombolysis and Early Supported Discharge
- $_{
 m O}$ Interactive maps, infographics and dashboards.



