

## Sentinel Stroke National Audit Programme (SSNAP)

## Help notes for Combined Organisational audit 2025 Department of Population Health Sciences, King's College London

## Introduction

The Sentinel Stroke National Audit Programme (SSNAP) is a major national healthcare quality improvement programme based in the School of Population Health and Environmental Studies at King's College London. SSNAP measures the quality and organisation of stroke care in the NHS and is the single source of stroke data in England, Wales, and Northern Ireland. SSNAP measures both the processes of care (clinical audit) provided to stroke patients, as well as the structure of stroke services (organisational audit) against evidence-based standards, including the 2023 National Clinical Guideline for Stroke.

SSNAP has been commissioned by the Healthcare Quality Improvement Partnership (HQIP) to deliver an organisational audit of acute and post-acute services. This will involve auditing acute and post-acute providers directly about the care they provide for stroke patients

Section A							
Question No	Data item	Answer options	Audit Help Notes				
A1 General Organisational Information							
1.1	Does your service provide inpatient care for acute stroke?	o Yes o No					
1.2	How many teams are covered by this form?	1-10 integer	Unavailable if 1.1 = No  Input: Team Name, Total number of stroke unit beds, SSNAP code  In this question we are asking about acute hospitals				
			which directly admit stroke patients or routinely admit them within 7 days.				
1.3	Which of the following options best describes your service at your site for patients during the first 72 hours after	<ul> <li>We treat all of these patients;</li> <li>We treat some of these patients;</li> <li>We treat none of these patients</li> </ul>	Unavailable if 1.1 = No  [This question has been included to take account of				

formal regional arrangements by which ALL patients are treated at another site for the first 72 hours before being repatriated for post 72hour care. This is a very specific

This question should be answered on the basis of what happens generally, not what happens in exceptional

• Option (i) will be chosen by the majority of hospitals.

examples. Please select one option only.

category of hospitals.]

stroke?

			formal arrangements by which they treat patients for the first 72 hours 'some' of the time e.g. on a rotational basis.  • Option (iii) will be chosen only by hospitals which have formal arrangements by which they do not treat patients during the first 72 hours e.g. London SUs.
1.3a	If 1.3(iii) is selected, give the SSNAP code of the main hospital treating your patients for the first 72 hours.	[] 3-digit SSNAP team code	Unavailable if 1.3i or 1.3ii is chosen  If 1.3(iii) is chosen, you are asked to select the MAIN hospital treating your patients for the first 72 hours.  If 1.3(iii) is chosen, you will not be able to answer any questions related to pre-72hour care i.e. Section B7: Acute presentation  If more than one hospital provides care for your patients for the first 72 hours, please select the site from which the majority of patients are repatriated.  Please contact the SSNAP helpdesk if you have queries about how to answer this question.
1.4	Is your service a standalone 6m assessment provider?	<ul><li>Yes</li><li>No</li></ul>	Unavailable if 1.1 = Yes
1.5	Are you completing this form as part of an Integrated Community Stroke Service (ICSS)?	<ul><li>Yes</li><li>No</li><li>Wales or Northern Ireland service</li></ul>	Unavailable if 1.1 = Yes
1.6	This service treats:	Only stroke patients	Unavailable if 1.1 = Yes

1.7	Who commissions this service?  How many teams are covered by this form?	Stroke and neurology patients General service that sees people with all conditions including stroke  [drop-down list]	Unavailable if 1.1 = Yes  Unavailable if 1.1 = Yes OR 1.5 is 'No' or 'Wales or Northern Ireland service'
			Input: Team name; SSNAP code
A2 Wo	orkforce	Unavailable if 1.4 = Yes	
2.1	What is the total establishment of whole- time equivalents (WTEs) and number of individuals of the following qualified professionals and support workers for all your stroke service?	that the worker is half-time etc.  Enter total for both individual numbers and t and support staff. Total establishment being WTE can be up to 3 decimal points but if nur If professionals and support workers are ger proportion of time spent on stroke beds. E.g which are designated for stroke patients wo have allocated hours to spend solely with st total hours worked.	the WTE for the total establishment of these professionals gall roles fully staffed, including those currently unfilled. Independent of individuals 0 then WTE must also be 0.  Therefore, i.e. cover non-stroke beds as well, please calculate gally. WTE hours for a nurse overseeing a ward of 30 beds 10 of a uld be 1/3. Similarly, if professionals and support workers troke patients, please indicate WTE hours as a proportion of a who spend the majority of their shift in clinical areas other ment or other acute admissions areas.
			king option if these professionals treat stroke patients in c. For acute inpatient teams this should be stroke ends.

		Answer for each discipline: If 'Yes, but NOT within service' or 'No' is sele If 'Yes, within this service' is selected, must	answer all other questions.			
		WTE max. 3 decimal places. WTE must be greater than 0. Max. value 99.999.				
		Number of individuals must be greater than 0. Individuals must be a whole number. Number individuals cannot be less than WTEs, e.g. cannot say 1.5 WTEs and 1 individual.  Max. value 99. Vacant WTEs cannot be greater than WTEs. Values 0-99.999.				
		The sum for WTEs entered for bands 7 and 8 responses for WTE in 2.1w-x.	3 nurses in 8.9 and 8.15 and 8.22 should equal the			
2.2	Which level(s) of psychological care are provided by this service?	<ul> <li>Level 1</li> <li>Level 2</li> <li>Level 3</li> <li>No psychological care provided</li> </ul>	LEVEL 3: Severe and persistent disorders of mood and/or cognition that are diagnosable and require specialised intervention, pharmacological treatment and suicide risk assessment and have proved resistant to treatment at levels 1 and 2. These would require the intervention of clinical psychology (with specialist expertise in stroke) or neuropsychology and/or psychiatry.  LEVEL 2: Mild/Moderate symptoms of impaired mood and /or cognition that interfere with rehabilitation. These may be addressed by non psychology stroke specialist staff, supervised by clinical psychologists (with special expertise in stroke) or neuropsychologists.  LEVEL 1: 'Sub-threshold problems' at a level common to many or most people with stroke. General difficulties coping and perceived consequences for the person's lifestyle and identity. Mild and transitory symptoms of mood and/or cognitive disorders such as a fatalistic			

				attitude to the outcome of stroke, and which have little impact on engagement in rehabilitation. Support could be provided by peers, and stroke specialist staff.  This can be within or external to the service.  NHS Improvement Psychological care after Stroke Strokepsychologicalsupportfinal.pdf
2.2a	If yes, have MDT staff members been	0	Yes	Unavailable if 2.2 = No psychological care provided.
	trained to provide psychological care?	0	No	Select one option only
2.2ai	If yes, which level(s) of training?	0	Level 1	Unavailable if 2.2a = No
		0	Level 2	Select all that apply
2.3	Are individual people with stroke under	0	Yes	Select one option only
	the care of this service discussed in a	0	No	
	formal multidisciplinary team meeting?			
2.3a	If yes, how often would each patient be	0	Less than once a week	Unavailable if 2.3 = No
	discussed in 7 days?	0	Once a week	
		0	Twice a week	
		0	More than twice a week	
2.3b	If yes, which disciplines consistently	0	Clinical psychological	Unavailable if 2.3 = No
	attend these meetings?	0	Dietitian	
		0	Occupational therapist	Select all that apply
			Physiotherapist	, , , , , , , , , , , , , , , , , , , ,
		0	Social worker	
		0	Specialist doctor	
		0	Specialist nurse	
		0	Speech and language therapist	
			Rehabilitation/therapy assistant	
			Family/carer support worker Orthotist	
		0	Orthoptist	
		0	Podiatrist	

A3 Quality improvement and leadership		Unavailable if 1.4 = Yes		
3.1	What level of management takes responsibility for the follow-up of the results and recommendations of the Sentinel Stroke National Audit Programme (SSNAP)?	<ul> <li>Executive on the Board</li> <li>Non-executive on the Board</li> <li>Chair of Clinical Governance (or equivalent)</li> <li>Directorate Manager</li> <li>Stroke Clinical Lead</li> <li>Other</li> <li>No specific individual</li> </ul>	Select all that apply.  Must select at least one option.	
3.2	Is there a strategic group responsible for stroke?	o Yes o No	This group is defined as consisting of senior clinical and management representatives, who meet regularly, set and review targets, implement the stroke strategy and make plans for the future of the service.	
3.2a	If yes, which of the following does it include?	<ul> <li>Ambulance trust representative</li> <li>Clinician</li> <li>Patient representative</li> <li>Commissioner</li> <li>Social Services</li> <li>Stroke Network representative</li> <li>Trust board member</li> <li>Voluntary sector representative</li> </ul>	Unavailable if 3.2 = No  Select all that apply. Must select at least one option.	
3.3	Do you have formal meetings with your coding department to improve the quality of stroke coding?	o Yes o No	Select one option only	
3.3a	If yes, how frequently are these formal meetings held?	<ul> <li>Weekly</li> <li>Monthly</li> <li>Quarterly</li> <li>Annually</li> <li>Ad hoc/ occasionally</li> </ul>	Unavailable if 3.3 = No Select one option only – the one which is closest to the time frame.0	

3.4	Do you have quality improvement or	0	Yes	Select one option only
	governance meetings to review performance against SSNAP quality standards?	0	No	Breach meeting: multidisciplinary governance meeting to discuss patients that failed to meet agreed standard of care, e.g. door to needle times, stroke unit within 4 hours,
3.4a	If yes, how often are these meetings held?	0 0 0 0	Daily Weekly Monthly Quarterly Annually	rapid brain imaging, SSNAP therapy targets, etc.  Unavailable if 3.4 = No
3.5	Do you have stroke specific mortality meetings within your Trust?	0	Yes No	i.e. formal process to discuss all stroke deaths with stroke MDT team
3.5a	If yes, which format is used?	0	Some deaths reviewed All deaths reviewed	Unavailable if 3.5 = No
3.6	The Clinical Leadership of this team (carrying the ultimate clinical responsibility for all patients under the care of this team) is provided by a registered healthcare professional(s) from which discipline?	0 0 0 0 0 0	Clinical psychologist Dietician Occupational therapist Physiotherapist Consultant physician/Specialist doctor Specialist nurse Speech and Language therapist No dedicated leadership role Advanced clinical practitioner non- medical consultant practitioner	Select all that apply
3.7	Who provides consultant leadership for this stroke service?	0 0 0	Stroke physician Rehabilitation Medicine Consultant Consultant Allied Health Professional Consultant Nurse Other No consultant leadership role within service	Select one option only

3.8	How often is there a formal survey seeking patient/carer views on the stroke services?	<ul> <li>Never</li> <li>Less than once a year</li> <li>1-2 times a year</li> <li>3-4 times a year</li> <li>More than 4 a year</li> <li>Continuous (every patient)</li> </ul>	This refers to stroke-specific surveys and does not include 'the Friends and Family Test' or passive access to online feedback such as 'Care Opinion'
3.9	Which disciplines have a specific role or part of their role is for stroke data management?	<ul> <li>Doctor</li> <li>Manager</li> <li>Nurse</li> <li>Therapist</li> <li>Clinical Audit/Clinical Governance staff member</li> <li>Data clerk/analyst with specific responsibility for stroke</li> <li>Data clerk/analyst with general audit responsibilities</li> </ul>	Please tick all disciplines that have specific WTEs allotted for stroke data collection. Select all that apply.  These questions relate specifically to stroke audit.  This can include routine data collection for internal and external purposes (e.g. SSNAP etc) in a person's job description.
3.10	What is the total number of whole time equivalent (WTEs) allocated in your service for stroke data management (collection, input, analysis)?	0-50 integer	Please answer within a range of 0-50 with a maximum of 3 decimal points.  WTEs - Whole Time Equivalent An WTE of 1.0 means that the person is equivalent to a full-time worker, while an WTE of 0.5 indicates that the worker is half-time etc.
3.11	Does the stroke service have formal links with patients and carers organisation for communication on any of the following?	<ul><li>Yes</li><li>No</li></ul>	Select one option only.  Structures which enable regular consultation with representatives from any of the following: a special group for stroke from Healthwatch or Patient Advocacy Liaison Service; or local groups which represent the views of

3.11a	If yes, which areas are included?	<ul> <li>Service provision</li> <li>Audit</li> <li>Service reviews and future plans</li> <li>Developing research</li> </ul>	people affected by stroke e.g. Stroke Association or Different Strokes.  Unavailable if 3.11 = No Select all that apply
3.12	Does the stroke service have formal links with peer-support groups for stroke (e.g. stroke clubs)?	o Yes o No	This may be set up by the local team or in conjunction with local agencies. Terms include patients' representative group, patients' consultation group, support group.
A4 Trai	ning	Unavailable if 1.4 = Yes	
4.1	Is there the facility for nurses to attend internal or external training courses relating to stroke management?	o Yes o No	
4.1a	If yes, how many sessions have these nurses attended in the last 12 months?	0-99 integer	Unavailable if 4.1 = No 1 session = half day
4.2	Is there the facility for therapists to attend internal or external training courses related to stroke management?	<ul><li>Yes</li><li>No</li></ul>	
4.2a	If yes, how many sessions have these therapists attended in the last 12 months?	0-99 integer	Unavailable if 4.2 = No 1 session = half day
4.3	Is there the facility for rehabilitation/therapy assistants or support workers to attend internal or external training courses relating to stroke management	<ul><li>Yes</li><li>No</li></ul>	
4.3a	If yes, how many sessions have these rehabilitation/therapy assistants or	0-99 integer	Unavailable if 4.3 = No 1 session = half day

	support works attended in the last 12 months?			
A5 Dis	charge information	Unav	railable if 1.4 = Yes	
5.1	Do patients receive specific falls prevention advice or training before discharge?	<ul><li>Yes</li><li>No</li></ul>		Select one option only  This should be answered yes if it is standard practice, and the majority of patients receive such advice or training.
5.2	Do you provide or contribute to personalised stroke information for patients? (e.g. Stroke passport?)	<ul><li>Yes</li><li>No</li></ul>		Select one option only
5.3	Do you routinely collect patient reported experience measures (PREMs) at any point before or after discharge?	<ul><li>Yes</li><li>No</li></ul>		Select one option only  Routinely means this is done as part of practice for the majority of patients, as opposed to intermittently or opportunistically.
5.4	Do people with stroke have access to any of the following types of commissioned support services provided by third sector/charities?	<ul><li>Emotional</li><li>Social</li><li>Practical</li><li>None of th</li></ul>	e above	Select all that apply
5.4a	If yes, are these support services:		s part of your service via referral at discharge from e	Unavailable if 5.4 = "None of the above"
5.5	Do people with stroke under the care of this team have access to their rehabilitation plan?	<ul><li>Yes</li><li>No</li></ul>		
5.6	Does this team have patient information displayed/available on the following?	local guide	sions of national and/or lines/standards s and treatment of stroke	Select all that apply

5.7	Does this service routinely offer a	<ul> <li>Secondary prevention of stroke Social Services local Community Care arrangements</li> <li>Local and national patient organisations (e.g. Stroke Association)</li> <li>The Department for Work and Pensions (or devolved equivalents) How to participate in stroke research</li> <li>None of the above</li> <li>Yes</li> </ul>	
	structured support and/or training programme for carers?	o No	
5.8	Which of these measures are routinely recorded by your service?	<ul> <li>Nottingham Extended Activities of Daily Living (NEADL)</li> <li>Balance measure (such as BERG balance scale or dynamic gait index)</li> <li>Carer strain index or similar</li> <li>Fatigue measure</li> <li>Other</li> </ul>	Select all that apply
5.9	Do you offer stroke patients a post discharge review within 6 weeks of discharge from hospital?	<ul><li>Yes</li><li>No</li></ul>	Select one option only
5.9a	If yes: Who usually completes the 6 week reviews post discharge from hospital?	<ul> <li>Primary care</li> <li>Acute trust stroke team         consultant/registrar</li> <li>Stroke Nurse in hospital/community</li> <li>Voluntary sector, e.g. Stroke         Association</li> <li>ESD team</li> <li>Community therapy team</li> <li>Not routinely arranged</li> </ul>	Unavailable if 5.9 = No  Select one option only

A6 Research			Unavailable if 1.4 = Yes	
6.1	When is patient recruitment for NIHR portfolio research currently possible within at least one part of the clinical service (i.e. research trained staff are available for taking consent and supporting study procedures as per study protocol):	0 0 0 0	Weekdays Saturdays Sundays Evenings (until 8pm) Overnight (8pm until 8am)	Select either 'No', 'Sometimes', or 'Usually' for each row.
6.2	Overall, how many days per week is stroke research support available:	0-7	,	0-7 integer
6.3	For each of the following clinical disciplines in your service, how many individuals are currently listed in at least one stroke study training log and/or are a local Principal Investigator PI for an open study (including the NIHR Associate PI scheme):	0 0 0 0 0 0	Nurse - acute Unit / HASU (any grade) Nurse - rehabilitation ward (any grade) Occupational therapist Physiotherapist Speech and language therapist Resident doctors (pre-specialty & specialty trainees) Consultant Other clinician	Number on at least one portfolio study training log [0-500 integer for first column]  Number who are local PI or Associate PI for at least one portfolio study [0-100 integer for second column]
6.4	For the research-focussed roles below, what percentage of whole time equivalents (WTEs) are currently available across the service specifically to support stroke studies?	0 0 0	Research nurse Other clinical research role e.g. therapist Clinical trial assistant Non-clinical research administrator e.g. supporting data entry Other research support role	[]% Enter a figure between 0-100 for each role
6.5	Do staff funded by local Research & Development to support stroke research delivery also support studies hosted by other specialties?	0	Yes No	

6.5a	If yes, which specialities share the	0	Ageing	Unavailable if 6.5 = No
	resources?	0	Cardiology	Select all that apply
		0	Critical care	,,
		0	Diabetes	
		0	Neurology	
		0	Primary care	
		0	Trauma and emergency care	
		0	Other	
6.6	In the last 12 months have you	0	Plain CT scans	Select all that apply.
	performed any of the procedures or	0	CT angiography	
	activities listed below specifically to	0	CT perfusion	Do not select a procedure or activity if it is performed for
	support a study/studies as requirements	0	Standard MRI	clinical reasons, even if the study protocol requested the
	for research protocol/protocols?	0	MR angiography	data. Select only if specifically undertaken for research.
		0	Carotid dopplers	autar cotost only in opcomounty undertailor recourses
		0	Other ultrasound	
		0	Echocardiography	
		0	ECG telemetry	
		0	Additional nursing intervention	
		0	Additional physiotherapy intervention	
		0	Additional occupational therapy	
		ł	intervention	
		0	Additional speech therapy intervention	
		0	Additional nutritional intervention	
6.7	Is an update about local clinical research	0	Yes	
	activity included regularly on the agenda	0	No	
	of clinical service meetings?	L		
6.8	Does the induction of new clinical staff in	0	All staff	
	the service include an opportunity to	0	Selected staff	
	spend time with staff supporting clinical	0	No	
	studies e.g. research nurse?	ľ		

Section B		Unavailable if 1.4 = Yes	
Question No	Data item	Answer options	Notes
B7 Acute	presentation	Unavailable if 1.3iii is chosen	
7.1	Most of the time, who is the first person from any team to review a patient presenting to hospital with a suspected stroke?	<ul> <li>Stroke Specialist Nurse</li> <li>Stroke Resident doctor         (CMT/Foundation Trainee)</li> <li>Stroke trained Registrar/Fellow</li> <li>General Medical Registrar</li> <li>Stroke Specialist / General Neurology         Consultant</li> <li>Other Medical Specialty Consultant</li> <li>ED Consultant</li> <li>ED Resident doctor/Registrar</li> <li>Neurology Resident doctor/Registrar</li> <li>Telemedicine link to own Trust Stroke</li> <li>Consultant</li> </ul>	In hours is between 08.00-18.00 Monday to Friday. Out of hours is all days and times outside this range.  Select one option for in hours and one option out of hours.  If more than one option is applicable, please select the most frequent.

		<ul> <li>Telemedicine link to regional network Consultant</li> </ul>	
7.2	Most of the time, who is the first person from the stroke team to review a patient presenting to hospital with a suspected stroke?	<ul> <li>Stroke Specialist Nurse</li> <li>Stroke Resident doctor         (CMT/Foundation Trainee)</li> <li>Stroke trained Registrar/Fellow</li> <li>General Medical Registrar</li> <li>Stroke Specialist / General Neurology         Consultant</li> <li>Other Medical Specialty Consultant</li> <li>ED Consultant</li> <li>ED Resident doctor/Registrar</li> <li>Neurology Resident doctor/Registrar</li> <li>Telemedicine link to own Trust Stroke         Consultant</li> <li>Telemedicine link to regional network         Consultant</li> </ul>	Select one option in hours and one option out of hours.  In hours is between 08.00-18.00 Monday to Friday Out of hours is all days and times outside this range  If more than one option is applicable, please select the most frequent.
7.3	Who is responsible for initial review of brain imaging to inform decisions about thrombolysis / referral for thrombectomy?	<ul> <li>Stroke Consultant on site</li> <li>Stroke Consultant remotely via PACS</li> <li>Stroke Registrar</li> <li>Stroke Resident doctor</li> <li>Neuroradiologist</li> <li>General Radiologist</li> <li>"Reporting Hub"</li> <li>ED Consultant/Registrar</li> <li>Medical Consultant/Registrar</li> <li>Stroke consultant at own Trust via telemedicine link</li> <li>Stroke consultant in region/network via telemedicine link</li> </ul>	Select one option for in hours and one option for out of hours.  In hours is between 08.00-18.00 Monday to Friday Out of hours is all days and times outside this range.

7.4	Do you have stroke specialist nurses (band 6 or above) who undertake hyper-acute assessments of suspected stroke patients in A&E?	<ul><li>Yes</li><li>No</li></ul>	Select one option for in hours and one option for out of hours.  In hours is between 08.00-18.00 Monday to Friday Out of hours is all days and times outside this range.
7.5	Are your stroke specialist nurses counted within your ward-based nurse establishment?	○ Yes ○ No	Select one option for in hours and one option for out of hours  In hours is between 08.00-18.00 Monday to Friday Out of hours is all days and times outside this range.  These are specialist nurses whose clinical responsibilities are outside the stroke unit.  Must select one option only for each column in hours and out of hours
7.6	Do you ever use video telemedicine to review patients with your ambulance crews ('pre-hospital video triage')?	<ul><li>Yes</li><li>No</li></ul>	Must answer either yes/no.
7.7	Do the stroke team receive a pre- alert (telephone or video call) from your ambulance crews for suspected stroke patients?	<ul> <li>Thrombolysis candidates only</li> <li>All FAST positive</li> <li>All other suspected stroke</li> </ul>	Must answer either yes/no/sometimes for each type of stroke.

7.8	If the stroke team receive a pre-alert, who is the call usually made to?	<ul> <li>Stroke Specialist Nurse</li> <li>Directly to the Emergency Department</li> </ul>	Unavailable if all 7.7 = No Must select one option only.
		<ul> <li>Stroke Resident doctor on call</li> <li>Stroke Consultant on call</li> <li>CT control room</li> <li>Call to Stroke ward / HASU</li> </ul>	If more than one option is applicable, please select the most frequent.
7.9	Where are suspected stroke patients that arrive by ambulance usually taken for assessment?	<ul> <li>Call to Stroke ward / HASU</li> <li>Emergency Department</li> <li>HASU/ASU</li> <li>Neurology Ward</li> <li>Combined stroke/neurology ward</li> <li>Acute Medical Unit</li> <li>HDU/ITU/CCU</li> <li>CT scan</li> </ul>	Select one option for potential reperfusion patients and one option for all other suspected stroke patients.
7.10	Does the stroke service at your site use telemedicine to allow remote access for the management of acute stroke care?	o Yes o No	Must select one option only  Telemedicine: must include the capability to view the patient via video
7.11	Do you operate a telemedicine rota with other hospitals?	<ul><li>Yes</li><li>No</li></ul>	Unavailable if 7.10 = No  Must select one option only  Telemedicine: must include the capability to view the patient via video
7.12	Which of the following groups of patients are assessed using telemedicine?	<ul> <li>Only patients potentially eligible for thrombolysis</li> <li>Some patients (regardless of eligibility for thrombolysis)</li> <li>All patients (who require assessment during times when telemedicine is in use)</li> </ul>	Unavailable if 7.10 = No  Must select one option only  Telemedicine: must include the capability to view the patient via video

7.13	How many acute stroke mimics have been seen by the stroke team in ED or any non-stroke emergency admissions area during the past month?	0-999 integer	Stroke mimics are patients who are assessed by the stroke team as a suspected stroke but whose final diagnosis is not a stroke.  Please answer within a range of 0-999.  If the exact number is not known, please provide an estimate.
7.13a	In the last three months, how many stroke mimics have received thrombolysis?	0-999 integer	Unavailable if 7.13 = No Stroke mimics are patients who are assessed by the stroke team as a suspected stroke but whose final diagnosis is not a stroke.  Please answer within a range of 0-999. Must not be greater that 7.12 If the exact number is not known, please provide an estimate
B8 Str	oke Units	Unavailable if 1.4 = Yes	
8.1	Please give the following details on type and number of stroke unit beds for each of these hospitals:	<ul> <li>a) Team Name</li> <li>b) Total number of stroke unit beds (can be 0)</li> <li>c) Type 1 beds: Number of stroke unit beds solely for patients in first 72 hours after stroke</li> <li>d) Type 2 beds: Number of stroke unit beds solely for patients beyond 72 hours after stroke</li> </ul>	Please give details for each of the acute hospitals entered for A.1 See definition of acute hospitals in A.1  (a) Column auto-populated based on 1.2 (b) Column auto-populated based on 1.2 Sum of 8.1c, d and e must equal b for each hospital (c) If 1.3 is (iii), grey out 8.1c (d)

		e) <b>Type 3 beds</b> : Number of stroke unit beds used for <b>both</b> pre- and post-72 hour care	(e) If 1.3 is (iii), grey out 8.1e
8.2	On this day, how many patients on your stroke ward are 'medically fit for discharge' (i.e., no longer requiring hospital bed-based care)?	0-99 integer	Total must not be greater than total number of stroke unit beds in 8.1b
8.3	Do you move patients no longer receiving specific stroke intervention to other wards if you need the bed for another stroke patient?	<ul><li>Yes</li><li>No</li><li>Only in exceptional circumstances</li></ul>	
8a: Care o		nts in the first 72 hours after stroke (type 1	beds) (please answer based on ALL beds
8.4	How many of these beds have continuous physiological monitoring (ECG, oximetry, blood pressure)?	0-200 integer	Please answer within a range of 0-200.  If monitors are not fixed, answer according to the number of beds which can have concurrent use of mobile monitors.  Ensure the figure entered is not more than total
			for 8.1(c).
8.5	How many stroke consultant ward rounds are conducted on your acute stroke ward per week?	0-21 integer	Stroke specialist consultant – A consultant with specialist skills in stroke. A stroke specialist has expertise in all 3 principal areas of stroke management (Prevention, Acute Stroke, Stroke Rehabilitation).
			This question reflects the NHS England 7 day working standard for acute care. This question should reflect the number of times a week a

			specialist stroke consultant ward round is carried out to directly review stroke patients.  If you have 2 consultant ward rounds 7 days a week, please enter 14. If there is more than one location for these beds, please give an average e.g. if there are 20 beds overall and 10 have ward rounds 7 times a week and the other 10 have ward rounds 5 times a week, you should put 6. If you have any permutations outside of this, please contact the SSNAP helpdesk ssnap@kcl.ac.uk).  Please answer within a range of 0-21.
8.6	How many of the following nursing staff are there usually on duty at 10AM for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	This question refers to the number of individuals on the ward at 10am.  [0-99] Weekdays; Saturdays; Sundays  Registered nurses are defined as those registered with the NMC as Registered Nurses (Adult).  Care assistant includes the terms "health care support worker", "nursing auxiliary", or "generic worker".  Enter 0 if no staff of that grade. However, the total number of nursing staff (registered nurses and/or care assistants) must be more than 0 for each time period.

			As this question refers to individuals, only whole numbers are permitted.  Only the nursing staff for the beds which are solely used for patients in the first 72 hours after stroke (i.e. the total entered for 8.1(c)) (N.B Do not double count nurses entered into 8.12 or 8.19)
8.7	How many nurses are there usually on duty for these beds at 10am who are trained in the following?	Swallow screening     Stroke assessment and management	Swallow screening refers to a formal swallow screen (performed by any member of the team). Presence or absence of the gag reflex is not sufficient as it is proven to be of little prognostic value for the ability to swallow.  A nurse trained in 'stroke management' would have stroke specific clinical experience i.e. can monitor for deterioration of symptoms and take necessary steps.  Enter 0 if no nursing staff with this specific training are on duty at 10am.  [0-99] Weekdays; Saturdays; Sundays  As this question refers to individuals, only whole numbers are permitted.  Only the nursing staff for the beds which are solely used for patients in the first 72 hours after stroke (i.e. the total entered for 8.1(c)).

			8.7i cannot be more than 8.6i for each time period. 8.7ii cannot be more than 8.6i for each time period. Please do not double count any nurses listed in 8.13 and 8.20
8.8	How many nurses are there usually on duty for these beds at 10PM for these beds?	<ul> <li>Registered nurses</li> <li>Care assistants</li> </ul>	This question refers to the number of individuals on the ward at 10pm.  [0-99] Weekdays; Saturdays; Sundays  Registered nurses are defined as those registered with the NMC as Registered Nurses (Adult)  Care assistant includes the terms "health care support worker", "nursing auxiliary", or "generic worker".  Enter 0 if no staff of that grade. However, the total number of nursing staff (registered nurses and/or care assistants) must be more than 0 for each time period.  Only the nursing staff for the beds which are solely used for patients in the first 72 hours after stroke (i.e. the total entered for 8.1(c)).  As this question refers to individuals, only whole numbers are permitted.  Please do not double count any nurses/care assistants listed in 8.14 and 8.21

8.9	What is the total establishment of whole time equivalents (WTEs) of the following bands of nurses for your <b>Type 1</b> beds in your site?	<ul> <li>Band 1</li> <li>Band 2</li> <li>Band 3</li> <li>Band 4</li> <li>Band 5</li> <li>Band 6</li> <li>Band 7</li> <li>Band 8a</li> <li>Band 8b</li> <li>Band 8c</li> </ul>	WTEs - Whole Time Equivalent An WTE of 1.0 means that the person is equivalent to a full-time worker, while an WTE of 0.5 indicates that the worker is half-time etc.  This should exclude stroke specialist nurses who spend the majority of their shift in clinical areas other than the stroke unit, e.g., Emergency Department or other acute admissions areas.  Answer required for all Bands (1-8c)  Enter 0 if no establishment. Must be a number, can be up to 3 decimal
			places.
8.10	How are your type 1 beds currently funded?	<ul> <li>Block contract</li> <li>Payment by results (PBR)</li> <li>Uplifted/enhanced tariff</li> <li>Unfunded (at risk)</li> <li>Not known</li> <li>Site in Wales or N/Ireland (N/A)</li> </ul>	Select only one option
8b: Care	on stroke unit beds used solely for patie	nts beyond 72 hours after stroke (type 2 k	eds) (please answer based on ALL beds records
in Q8.1d	)		
8.11	How many days per week is there a stroke specialist consultant ward round for these beds?	[] days 0-7 integer	Please answer within a range of 0-200.  If there is more than one location for these beds, please give an estimated average e.g. if there are 20 beds overall and 10 have ward

			rounds 7 times a week and the other 10 have ward rounds 5 times a week, you should put 6
	For questions 8.12 - 8.15 only the nurs entered for Q8.1d) should be included.	ing staff for the beds solely used for patients !.	beyond 72 hours after stroke (i.e. the total
8.12	How many of the following nursing staff are there usually on duty at <b>10AM</b> for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	This question refers to the number of individuals on the ward at 10am.  [0-99] Weekdays; Saturdays; Sundays/Bank holiday
			(Enter 0 if no staff of that grade) Only the nursing staff for the beds which are solely used for patients beyond the first 72 hours after stroke (i.e. the total entered for Q8.1d) (N.B. please do not double count any nurses/care assistants listed in Q8.6 and Q8.19)
8.13	How many nurses are there usually on duty for these beds at 10am who are trained in the following?	<ul> <li>Swallow screening</li> <li>Stroke assessment and management</li> </ul>	[0-99] Weekdays; Saturdays; Sundays/Bank holidays  (Enter 0 if none). 8.13i cannot be more than 8.12i for each time period. 8.13ii cannot be more than 8.12i for each time period.  (N.B. please do not double count any nurses listed in Q8.7 and Q8.20)
8.14	How many of the following nursing staff are there usually on duty at 10PM for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	[0-99] Weekdays; Saturdays; Sundays  (Enter 0 if no staff of that grade) Only the nursing staff for the beds which are solely used for patients beyond the first 72 hours after stroke (i.e. the total entered for Q8.1d)

			(N.B. Please do not double count any nurses/care assistants listed in Q8.8 and Q8.21)
8.15	What is the total establishment of whole time equivalents (WTEs) of the following bands of nurses for <b>type 2 beds</b> (beds solely for patients beyond 72 hours after stroke) in your site?	<ul> <li>Band 1</li> <li>Band 2</li> <li>Band 3</li> <li>Band 4</li> <li>Band 5</li> <li>Band 6</li> <li>Band 7</li> <li>Band 8</li> </ul>	Enter 0 if no establishment  Max. 3 decimal places – every row must have a value. Values 0-99.999
8.16	How are your type 2 beds currently funded?	Block contract Payment by results (PBR) Uplifted/enhanced tariff Unfunded (at risk) Not known Site in Wales or N. Ireland (N/A)	
	Section 2C: Care on stroke unit beds on ALL beds records in Q8.1e)	which are used for both pre- and post-72 h	nours care (type 3 beds) (please answer based
8.17	How many of these beds have continuous physiological monitoring (ECG, oximetry, blood pressure)?	0-200 integer	Please answer within a range of 0-200.  If monitors are not fixed, answer according to the number of beds which can have concurrent use of mobile monitors.  Ensure the figure entered is not more than total for 8.1(e).
8.18	How many stroke consultant ward rounds are conducted on your acute stroke ward per week?	0-21 integer	Stroke specialist consultant – A consultant with specialist skills in stroke. A stroke specialist has expertise in all 3 principal areas

			of stroke management (Prevention, Acute Stroke, Stroke Rehabilitation).
			This question reflects the NHS England 7 day working standard for acute care. This question should reflect the number of times a week a specialist stroke consultant ward round is carried out to directly review stroke patients.
			If you have 2 consultant ward rounds 7 days a week, please enter 14. If there is more than one location for these beds, please give an average e.g. if there are 20 beds overall and 10 have ward rounds 7 times a week and the other 10 have ward rounds 5 times a week, you should put 6. If you have any permutations outside of this, please contact the SSNAP helpdesk ssnap@kcl.ac.uk).
			Please answer within a range of 0-21.
8.19	How many of the following nursing staff are there usually on duty at 10AM for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	This question refers to the number of individuals on the ward at 10am.
			[0-99] Weekdays; Saturdays; Sundays Enter 0 if no staff of that grade. Only the nursing staff for beds used for patients pre and post-72 hour care (i.e. the total entered for 8.1e).
			(N.B. please do not double count any nurses/care assistants listed in Q8.6 and Q8.12.)

8.20	How many nurses are there usually on duty for these beds at 10am who are trained in the following?	Swallow screening     Stroke assessment and management	[0-99] Weekdays; Saturdays; Sunday  Enter 0 if no nursing staff with this specific training are on duty at 10am. 8.20i cannot be more than 8.19i for each time period. 8.20ii cannot be more than 8.19i for each time period. Please do not double count any nurses listed in 8.7 and 8.13
8.21	How many of the following nursing staff are there usually on duty at 10PM for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	[0-99] Weekdays; Saturdays; Sundays Enter 0 if no staff of that grade. Only the nursing staff for beds used for patients pre and post-72 hour care (i.e. the total entered for 8.1e  N.B. please do not double count any nurses/care assistants listed in Q8.8 and Q8.14.
8.22	What is the total establishment of whole time equivalents (WTEs) of the following bands of nurses for type 3 beds?	<ul> <li>Band 1</li> <li>Band 2</li> <li>Band 3</li> <li>Band 4</li> <li>Band 5</li> <li>Band 6</li> <li>Band 7</li> <li>Band 8a</li> <li>Band 8b</li> <li>Band 8c</li> </ul>	WTEs - Whole Time Equivalent An WTE of 1.0 means that the person is equivalent to a full-time worker, while an WTE of 0.5 indicates that the worker is half-time etc.  This should exclude stroke specialist nurses who spend the majority of their shift in clinical areas other than the stroke unit, e.g., Emergency Department or other acute admissions areas.

8.23	How are your type 3 beds funded?	Block contract     Payment by results (PBR)	Answer required for all Bands (1-8c) Enter 0 if no establishment. Must be a number, can be up to 3 decimal places.  Select only one option
		<ul> <li>Uplifted/enhanced tariff</li> <li>Unfunded (at risk)</li> <li>Not known</li> <li>Site in Wales or N/Ireland (N/A)</li> </ul>	
B9 Thror	nbolysis and thrombectomy	Unavailable 1.4 = Yes	
9.1	Where do the majority of your patients receive thrombolysis?	<ul> <li>Emergency Department</li> <li>In the CT scanner</li> <li>Where your Type 1 or Type 3 beds are based</li> <li>CCU/ITU/HDU</li> <li>Acute Medical Unit /Medical Ward</li> <li>Neurology ward</li> </ul>	Unavailable if 8.1c and 8.1e are 0 or if 1.3 is (iii)  Record where the bolus is administered (initial bolus for alteplase, bolus injection for Tenecteplase)
9.2	Are you a thrombectomy centre?	o Yes o No	Select only one option
9.3	If yes, what are the hours of operation for your thrombectomy service?	<ul> <li>Monday</li> <li>Tuesday</li> <li>Wednesday</li> <li>Thursday</li> <li>Friday</li> <li>Saturday</li> <li>Sunday</li> </ul>	Unavailable if 9.2 = No  Enter a value from 0-24 for each day.  If you do not offer a regular service on a particular day, enter 0.'

9.4	How many consultant level doctors from your site carry out thrombectomy?	0-10 integer	Unavailable if 9.2 = No  Please answer within a range of 0-10.  Please do not include doctors who work primarily at other sites - each doctor should only be counted at one site. Please include doctors who have performed 1 or more thrombectomy procedures within the last year.
9.4a	For each consultant, please state their specialty	<ul> <li>Interventional neuroradiology</li> <li>Vascular interventional radiology</li> <li>Non-vascular interventional radiology</li> <li>Cardiologist</li> <li>Neuro-surgeon</li> <li>Stroke Physician</li> <li>Other</li> </ul>	Unavailable if 9.2 = No  Number of columns in the table must match the number entered in 9.4. The remaining columns are greyed out.
9.5	If you are not a thrombectomy centre, do you refer appropriate patients to a thrombectomy centre?  N/A available for those with type 2 beds only	<ul><li>Yes</li><li>No</li><li>N/A</li></ul>	Unavailable if 9.2 = Yes  N/A Available if 8.1c AND 8.1e are 0 or if 1.3 is (iii)
9.6	Which centre do you refer patients to for thrombectomy?		Unavailable if 9.2 = Yes, or 9.5 = No or N/A  Select thrombectomy centre from dropdown list  Select only one centre. If you refer patients to more than one centre, please select the centre where you refer the most patients.

For how many hours can you refer	0	Monday	Unavailable if 9.2 = Yes, or 9.5 = No or N/A
patients for thrombectomy each day?	0	Tuesday	,
,	0	Wednesday	Enter a value from [] hours 0-24 integer
	0	Thursday	for each day
	0	Friday	
	0	Saturday	
	0	Sunday	
Who makes the decision that there is	0	Stroke Resident doctor making	Unavailable if 9.2 = Yes, or 9.5 = No or N/A
a large vessel occlusion on CTA		referral	
imaging prior to transferring for	0	Stroke Consultant	Select one option for in hours and one option
thrombectomy?	0	General Radiologist	for out of hours. In-hours would include the
	0	Neuroradiologist at your hospital	period 0800-1800, or the majority of that time.
	0	Neuroradiologist at IAT Centre (if	
		different)	
	0	Stroke team at thrombectomy centre	
	0	Remote tele-radiology service off site	
	0		
	0	•	Unavailable if 9.2 = Yes, or 9.5 = No or N/A
<u> </u>		and not released from initial call	
ambulance service?	0	<del>-</del>	
		-	
	0		
	0	-	
Do the etrake team was halicants:			Upovojloblo if 0.2 – Voo. 5 = 0.5 – No. 5 * N/A
•	-		Unavailable if 9.2 = Yes, or 9.5 = No or N/A
transfers for unformbectomy patients?	0	INU	
What are your arrangements	0	Most natients referred reviewed with	Unavailable if 9.2 = Yes, or 9.5 = No or N/A
	J	·	100, 01 0.0 = 100 01 11/A
(05.5a.100 p1000000) 101		regional MDT	
	Who makes the decision that there is a large vessel occlusion on CTA imaging prior to transferring for	Who makes the decision that there is a large vessel occlusion on CTA imaging prior to transferring for thrombectomy?  When a patient requires conveyance to thrombectomy centre at what point do you call the first responder ambulance service?  Do the stroke team use helicopter transfers for thrombectomy patients?  What are your arrangements	Wednesday Thursday Friday Saturday Sunday  Who makes the decision that there is a large vessel occlusion on CTA imaging prior to transferring for thrombectomy?  Stroke Resident doctor making referral Stroke Consultant General Radiologist Neuroradiologist at your hospital Neuroradiologist at IAT Centre (if different) Stroke team at thrombectomy centre Remote tele-radiology service off site No service  When a patient requires conveyance to thrombectomy centre at what point do you call the first responder ambulance service?  When a patient requires conveyance to thrombectomy centre at what point do you call the first responder ambulance service?  At the point IV thrombolysis is complete At the point CTA suggests occluded vessel When accepted by thrombectomy centre  Do the stroke team use helicopter transfers for thrombectomy patients?  No Most patients referred reviewed with

	discussion of patients referred for thrombectomy?	<ul> <li>Most patients referred reviewed locally as part of local MDT</li> <li>Informal feedback</li> <li>No regular discussion</li> </ul>	
B10 Sp	ecialist investigations for stroke a	nd TIA patients	Unavailable 1.4 = Yes
10.1	What is the usual inpatient waiting time for patients to receive carotid imaging?	<ul> <li>The same day (7 days a week)</li> <li>The same day (5/6 days a week)</li> <li>The next day</li> <li>The next weekday</li> <li>Within a week</li> <li>Longer than a week</li> </ul>	Select one option only  Select the average waiting time for patients to receive carotid imaging
10.2	What is the usual inpatient waiting time for patients to receive carotid endarterectomy?	<ul> <li>The same day (7 days a week)</li> <li>The same day (5/6 days a week)</li> <li>The next day</li> <li>The next weekday</li> <li>Within a week</li> <li>Longer than a week</li> </ul>	Select one option only.  Select the average waiting time for patients to receive carotid endarterectomy.  Please provide an estimate if the exact number is not known.
10.3	What is your usual pathway for detecting paroxysmal atrial fibrillation?	<ul> <li>HASU telemetry monitoring</li> <li>Inpatient 24 hour tape</li> <li>Outpatient 24 hour tape</li> <li>Extended cardiac recording: 48 hours</li> <li>Extended cardiac recording: 5-7 days</li> <li>Implantable loop recorder</li> <li>Transdermal patch (e.g. Ziopatch)</li> </ul>	If the pathway differs, please record the most common pathway  List in the sequence of investigations you apply i.e. 1=1st, 2= 2nd etc.  [1-8; Not available]  Choose "Not available" if not available. You must answer every question with a number between 1 and 8, or "Not available".

		Repeat extended 5-7 days cardiac monitor	
10.4	In which stroke patients do you normally perform echocardiography?	<ul> <li>In the majority of patients post stroke</li> <li>Patients suggestive of cardioembolic source on brain imaging</li> <li>Patients with an abnormal ECG</li> <li>Patients with suspected valvular lesions</li> <li>Patients with new heart failure</li> <li>Patients with known heart failure</li> <li>We rarely do echocardiography (N/A)</li> </ul>	Select all that apply, must choose at least one option.
10.5	In which patients do you normally perform a bubble contrast echocardiography?	<ul> <li>All patients post stroke</li> <li>All patients with suspected cardioembolic source on brain imaging</li> <li>Patients with suspected cardioembolic source but initial transthoracic echocardiogram (TTE) normal</li> <li>We rarely do bubble contrast echocardiography (N/A)</li> </ul>	Select all that apply, must choose at least one option
10.6	In which patients do you normally perform TOE (trans-oesophageal echocardiography)?	<ul> <li>All patients with suspected cardioembolic source on brain imaging</li> <li>Patients with suspected cardioembolic source but initial transthoracic echocardiogram (TTE) normal</li> </ul>	Select all that apply, must choose at least one option.

		<ul> <li>If patient has had a positive bubble contrast echo</li> <li>We rarely do trans-oesophageal echocardiography (N/A)</li> </ul>	
10.7	Is PFO closure available locally for your stroke patients?	<ul><li>Yes</li><li>No</li></ul>	Must select one option only (this refers to NHS rather than private provision)
10.7a	If yes, are all patients discussed at a specialist stroke/cardiology MDT before PFO closure is offered?	o Yes o No	Unavailable if 10.7 = No Must select one option only
10.8a	Which imaging modality do you most frequently use in your neurovascular clinic for suspected TIAs?  First line brain imaging	<ul><li>CT</li><li>MRI</li><li>Rarely image TIAs</li></ul>	If you use more than one imaging modality, select the most commonly used
10.8b	Which imaging modality do you most frequently use in your neurovascular clinic for suspected TIAs?  First line carotid imaging	<ul> <li>Carotid Doppler</li> <li>CTA</li> <li>MRA – (CEMRA)</li> <li>MRA – (ToF)</li> <li>Rarely image TIAs</li> </ul>	Select only one option for brain imaging and one option for carotid imaging If you use more than one imaging modality, select the most commonly used  CTA – CT angiography
			MRA – CEMRA: Contrast enhanced magnetic resonance imaging, MRA - ToF: Time of flight magnetic resonance imaging
10.9	What is your first line treatment for preventing venous	<ul> <li>Short or long compression stockings</li> <li>Intermittent pneumatic compression (IPC) device</li> </ul>	Select one option only

	thromboembolism for patients with	0	Low molecular weight heparin	
	reduced mobility?	0	None of the above	
10.10	Which of the 7 site-level practices set	0	Generic Trust VTE assessment within	Can select all that apply but must choose at
	out in the 'HSIB Best Practice		24 hours of admission with daily ward	least one option.
	Consensus for reducing Venous		round review and/or whenever clinical	
	Thromboembolism post-stroke' do		situation changes	
	you employ at your site?	0	If high risk of VTE, IPC are used within	
			first 3 days of acute stroke for up to 30	
			days or until mobile or discharged	
		0	IPC devices prescribed on electronic	
			or paper prescription charts and are	
			reviewed on a daily basis by medical,	
			nursing and pharmacy teams	
		0	Information provided to	
			patient/family/carer of the risk of	
			hospital acquired VTE and benefits of	
			IPC in reducing risk of DVT and	
			improving survival	
		0	All members of multi-disciplinary	
			team are trained in awareness and	
			benefits of IPC, and in the application	
			of IPC sleeves after therapy, nursing	
			interventions or investigations	
		0	If patients cannot tolerate IPC,	
			discussion with a senior member of	
			the clinical team to	
			document consideration of alternative	
			treatments, e.g. earlier use of Low	
			Molecular Weight Heparin	
		0	Regular review of SSNAP data on IPC	
			use through clinical governance	

		programmes to maintain and improve compliance with VT pathways and use of IPC devices  None of the above	
B11 TIA	VNeurovascular service	Unavailable 1.4 = Yes	
11.1	Does your site have a neurovascular clinic?	o Yes o No	Select one option only  A neurovascular clinic is defined as: A service
			for outpatient diagnosis and management of people presenting with suspected TIA or minor stroke, not requiring admission to hospital.
11.2	If no, who provides this for your patients?	<ul> <li>Another site within our trust</li> <li>Please give name and SSNAP code</li> </ul>	Unavailable if 11.1 = Yes Select one option only
		<ul> <li>Another site not within our trust</li> <li>Please give name and SSNAP code</li> </ul>	Please select from the dropdown list.
			Team codes and contact information can be found at: <a href="https://www.strokeaudit.org">www.strokeaudit.org</a> > Resources > Team codes and contact information.
11.3	If yes, on how many days a week do you hold your neurovascular clinic?	0-7 integer	Unavailable if 11.1 = No Please provide a value between 0-7.
11.4	How many new patients were seen during the past 4 weeks?	0-999 integer	Unavailable if 11.1 = No Please provide a value between 0-999.
11.4a	Of the new patients assessed, what proportion of patients were assessed via the following methods:	<ul> <li>Face to face;</li> <li>Virtual (telephone only);</li> <li>Virtual (with video option);</li> </ul>	Unavailable if 11.1 = No or 11.4 is 0  Please provide a value between 0-100 %

			Values in 11.4a must add up to 100
11.4b	How many of these new patients had	0-999 integer	Unavailable if 11.1 = No; or 11.4 = 0
	a final diagnosis of a TIA?		Please provide a value between 0-999.
			Cannot be more than value given for 11.4.
11.5	What is the current average waiting	0-100 integer	Unavailable if 11.1 = No
	time for an appointment from referral?		Please provide a range between 0-100 days.
	reletiat:		Check through the appointments for
			TIA/neurovascular clinic appointments made in
			the previous month to calculate the delay
			between referral and appointment for minor stroke/TIA.
			Please give your answer in days
11.6	How are patients referred into your	Via email/electronic referral	Unavailable if 11.1 = No
	TIA / neurovascular service?	Written referral via post to stroke	Select one option only
		team  Written referral via post to Choose	
		and Book	
		o Telephone referral to stroke team	
11.7	Do the stroke team triage referrals to	o Yes	Unavailable if 11.1 = No
	the TIA/neurovascular service?	o No	Select one option only
11.8	Does this involve a telephone call to	o Yes	Unavailable if 11.1 = No or 11.7 = No
	the patient?	o No	Select one option only
11.9	Who triages the referrals?	Stroke Consultant	Unavailable if 11.1 = No or 11.7 = No
		<ul> <li>Stroke Resident doctor</li> </ul>	

		<ul> <li>Stroke Specialist Nurse</li> <li>Stroke Specialist Nurse followed by Stroke Doctor</li> <li>Admin staff based on triage criteria</li> <li>Stroke team contact all patients (teletriage)</li> <li>Other</li> </ul>	Select one option for in hours and one option for out of hours.  In hours is between 08.00-18.00 Monday to Friday Out of hours is all days and times outside this range
11.10	Do you use any clinical risk score to allocate the urgency of referrals to your neurovascular clinic?	O Yes O No	Unavailable if 11.1 = No or 11.7 = No Select one option only
11.11	Within what timescale can you see, investigate and initiate treatment for ALL your TIA patients?	<ul> <li>The same day (7 days a week)</li> <li>The same day (5 days a week)</li> <li>The next day</li> <li>The next weekday</li> <li>Within a week</li> <li>Within a month</li> <li>Longer than a month</li> </ul>	Unavailable if 11.1 = No  Select only one option for inpatient and one option for outpatient
11.12	What is the total number of inpatients with confirmed or suspected TIA across all primary admitting hospitals on this day?	0-999 integer	Please answer within a range of 0-999.  This refers to the number of inpatients with a primary diagnosis of TIA across all the hospitals which were entered for A1 at the time the organisational audit form is completed.
11.13	How many inpatients with confirmed or suspected TIA are in stroke unit beds across all primary admitting hospitals on this day?	0-999 integer	Unavailable if 11.12 = 0  Please answer within a range of 0-999. This should not be more than the number given for question 11.12, also cannot be greater than total number of stroke beds 8.1b, if 8.1b is less than 11.12.

			This refers to the number of inpatients with a primary diagnosis of TIA across who are in stroke beds across all the hospitals which were entered for A1 at the time the organisational audit form is completed.
B12 M	edical Workforce	Unavailable 1.4 = Yes	
12.1	Do you have at least one accredited specialist registrar in a post registered for stroke specialist training?	<ul><li>Yes</li><li>No</li></ul>	An accredited SpR will be a specialist registrar (doctor) who is in a post approved for stroke specialty training.
12.2	How many accredited specialist registrar posts do you have at your site?	0-99 integer	Must be a whole number. Please answer within a range of 0-99.  This is the total number of posts at your site, whether they are filled or unfilled.
12.3	How many of the posts in Q12.2 are currently filled?	0-99 integer	Unavailable if 12.2 = 0 Cannot exceed the number in Q12.2  Can answer within a range of 0 - 99. A response is required in all fields; Enter 0 if appropriate.
12.4	How many programmed activities (PAs) do you have in total for Stroke Consultant Physicians?	0-999 integer	Please answer within a range of 0-999.  PA refers to Programmed Activities (or Sessions in Wales). This includes all stroke consultant physicians who have any component of stroke clinical time

			Stroke Consultant Physician – A physician with specialist skills in stroke. A stroke specialist has expertise in all three principal areas of stroke management (Prevention, Acute Stroke, Stroke Rehabilitation).
12.4a	How many consultants (individuals) are these PAs divided amongst?	1-99 integer	Unavailable if 12.4 = 0
12.4b	How many of these PAs are Direct Clinical Care (DCCs) for Stroke?	1-999 integer	Unavailable if 12.4 = 0  Max. 2 decimal places  Cannot be greater than 12.4
12.5	Do you have any unfilled medical consultant stroke physician posts?	<ul><li>Yes</li><li>No</li></ul>	
12.5a	How many programmed activities (PAs) do these posts cover?	1-999 integer	Unavailable if 12.5 = No PA refers to Programmed Activities (or Sessions in Wales)
12.5b	For how many months have these posts been funded but unfilled?	1-120 integer	Unavailable if 12.5 = No
12.6	How many new/additional programmed activities (PAs) do you plan to have for Stroke Consultant Physicians?	0-99 integer	Please answer within a range of 0-99.  Max 2 decimal places. PA refers to Programmed Activities (or Sessions in Wales)
12.6a	How many new/additional consultants (individuals) will these PAs be divided amongst?	0-99 integer	Unavailable if 12.6 = 0 Please answer within a range of 0-99. Must be a whole number.  'New/Additional planned posts' refer to plans in which the posts have i) a set number of PAs in their prospective job plan for stroke ii) the DCC PAs should have been considered and iii) there should be a plan for contribution to specific

			part(s) of the service, for example, the TIA clinic or the stroke unit.  These planned posts should be the result of an official management plan with recognised funding identified and/or 'Authority to Recruit'.
12.6b	How many of these new/additional PAs will be for Direct Clinical Care (DCC) for Stroke?	1-99 integer	Unavailable if 12.6 = 0 Please answer within a range of 1-99. Do not give an answer that is greater than that given for question 12.6.  PA refers to Programmed Activities (or Sessions in Wales)
12.7	How many sessions do you have in total for non-medical consultants?	0-999 integer	
12.7a	How many non-medical consultants (individuals) are these sessions divided amongst?	1-99 integer	Unavailable if 12.7 = 0
12.7b	How many of these sessions are for direct patient care?	1-99 integer	Unavailable if 12.7 = 0  Max. 2 decimal places  Cannot be greater than 12.7
12.8	Do you have any unfilled non- medical consultant posts?	○ Yes ○ No	
12.8a	How many sessions do these posts cover?	1-999 integer	Unavailable if 12.8 = No
12.8b	For how many months have these posts been funded but unfilled?	1-120 integer	Unavailable if 12.8 = No
12.9	How many new/additional sessions do you plan to have for non-medical consultants	0-99 integer	Max 2 decimal places

12.9a	How many new/additional non- medical consultants (individuals) will these sessions be divided amongst?	0-99 integer	Unavailable if 12.9 = 0
12.9b	How many of these new/additional sessions will be for Direct Clinical Care (DCC) for Stroke?	1-99 integer	Unavailable if 12.9 = 0 Max. 2 decimal places Cannot be greater than 12.9
12.10	How many WTEs do you have in total for allied healthcare practitioners (AHPs)?	0-999 integer	
12.10a	How many AHPs (individuals) are these WTEs divided amongst?	1-99 integer	Unavailable if 12.10 = 0
12.11	Do you have any unfilled allied healthcare practitioner (AHP) posts?	o Yes o No	
12.11a	How many WTEs do these posts cover?	1-999 integer	Unavailable if 12.11 = No
12.11b	For how many months have these posts been funded but unfilled?	1-120 integer	Unavailable if 12.11 = No
12.12	How many new/additional sessions do you plan to have for allied healthcare practitioners (AHPs)?	0-99 integer	Max 2 decimal places
12.12a	How many new/additional AHPs (individuals) will these WTEs be divided amongst?	0-99 integer	Unavailable if 12.12 = 0
12.13	How many sessions of resident doctor time are there per week in total for all stroke unit beds?	<ul> <li>Internal Medicine trainee 3         (IMT3)/registrar grade or above</li> <li>Foundation years/core         training/IMT1/IMT2 or equivalent</li> <li>Non training grade/'locally         employed'/trust resident doctor</li> </ul>	Please answer within a range of 0-99 sessions.  1 session represents half a day
12.14	Do you have Physician Associates as part of your clinical team?	o Yes o No	

12.4a	If yes, how many whole time	0-99 [] WTEs	Unavailable if 12.14 = No
	equivalents do these Physician		Please answer within a range of 0-99 and can
	Associates (Physician Assistants)		be up to 3 decimal places.
	work across your stroke service?		
			WTEs - Whole Time Equivalents
			An WTE of 1.0 means that the person is
			equivalent to a full-time worker, while an WTE of 0.5 indicates that the worker is half-time etc.
			of 0.5 indicates that the worker is nati-time etc.

	C: to be answered by po	Unavailable 1.4 = Yes	
Question	our service provide inpatient care for <b>Data item</b>	Answer options	Notes
No			
C13 Inpa	atient rehabilitation		
13.1	Does your service provide inpatient rehabilitation?	o Yes	If 13.1 = No the rest of C13 is unavailable
13.2	What is the total number of beds within this service that may be used for stroke patients?	1-200 integer	Please enter a whole number []beds  Count beds which are defined for use by stroke
			patients. Do not include beds

			on generic units which will not receive stroke patients at any point.
13.3	Where is this stroke service provided?	<ul> <li>Rehabilitation beds in acute NHS trust</li> <li>Rehabilitation beds in community NHS trust</li> <li>Combined acute and community NHS trust</li> <li>Social enterprise</li> <li>Private sector provider</li> </ul>	Select all that apply  Specify the physical location where the stroke service is provided.  Private sector provider may include care homes (nursing homes).  For Wales, 'Trusts' refers to hospital
13.4	Over the last year, has the average waiting time for these beds:	<ul><li>Stayed the same</li><li>Increased</li><li>Decreased</li></ul>	
13.5	Who provides medical care for stroke patients under the care of this team?	<ul> <li>Stroke specialist doctor (Consultant level/ Staff Grade)</li> <li>Non-specialist doctor (Consultant level/ Staff Grade)</li> <li>Consultant in Rehabilitation medicine with specialty in neurorehabilitation</li> <li>Resident doctor/non-career grade</li> <li>GP</li> </ul>	Select all that apply.  If the most appropriate option for your service is not listed, please select 'GP'
13.6	How many days per week is there a stroke specialist consultant ward round for these beds?	0-7 []days	Please enter a range from 0-7days. Only whole numbers are permitted.  (If there is more than one location for these beds, please give an estimated average e.g. if there are

			20 beds overall and 10 have ward rounds 7 times a week and the other 10 have ward rounds 5 times a week, you should put 6.)
13.7	How many of the following <i>nursing</i> staff are there usually on duty at <b>10AM</b> for these beds?	<ul><li>Registered nurses</li><li>Care assistants</li></ul>	This question refers to the number of individuals on the ward at <b>10AM</b> . Registered nurses are those defined as registered with the NMC as Registered Nurses (Adult).  [0-99] Weekdays; Saturdays; Sundays
			Enter 0 if no nursing staff on duty. Registered nurses and Care assistants cannot both be 0 for the same time period. As this question refers to individuals, only whole numbers are permitted. Only the nursing staff for the beds which are used for stroke patients should be included.
13.8	How many nurses are there usually on duty for these beds at <b>10AM</b> who are trained in the following?	<ul> <li>Swallow Screening</li> <li>Stroke assessment and Management</li> </ul>	[0-99] Weekdays; Saturdays; Sundays  13.8i cannot be more than 13.7i for each time period. 13.8ii cannot be more than 13.7i for each time period.
			<ul> <li>(i) Swallow screening refers to a formal swallow screen using a Trust- or hospital-approved protocol.</li> <li>(ii) A nurse trained in 'stroke management' would have stroke specific management experience i.e. can check for</li> </ul>

			deterioration of symptoms and take necessary action.  Please enter 0 if no nursing staff on duty are trained. As this question refers to individuals, only whole numbers are permitted. Only the nursing staff for the beds which are used for stroke patients should be included.
13.9	How many of the following nursing staff are there usually on duty at 10PM for these beds?	<ul> <li>Registered nurses</li> <li>Unregistered nurses</li> </ul>	(Only whole numbers) [0-99] Weekdays Saturdays Sundays/Bank holidays  This question refers to the number of individuals on the ward at 10PM. Registered nurses are those defined as registered with the NMC as Registered Nurses (Adult).  Please enter 0 if no nursing staff on duty. Registered nurses and Unregistered nurses cannot both be 0 for the same time period.  As this question refers to individuals, only whole numbers are permitted. Only the nursing staff for the beds which are used for stroke patients should be included.
13.10	How are these beds currently funded?	<ul> <li>Block contract</li> <li>Payment by results (PBR)</li> <li>Uplifted/enhanced tariff</li> <li>Unfunded (at risk)</li> <li>Not known</li> </ul>	Your service line manager should be able to provide you with an answer to this question

		○ Site in Wales or N. Ireland (N/A)	
13.11	Is this bed base?	<ul> <li>Geographically defined</li> <li>For stroke patients only</li> <li>Mixed stroke and neurology</li> <li>Mixed stroke and CCU</li> <li>Mixed stroke and elderly care</li> <li>Mixed stroke and other medical patients</li> </ul>	Select all that apply
13.12	Does this in-patient facility have access to an on-site therapy gym?	o Yes o No	This facility should be on-site
13.13	Does this in-patient facility have access to an on-site therapy kitchen?	<ul><li>Yes</li><li>No</li></ul>	This facility should be on-site
13.14	On this day, how many patients on your stroke ward are 'medically fit for discharge' (i.e., no longer requiring hospital bed based care)?	0-99 integer	Total must not be greater than total number of stroke unit beds in 13.2
13.15	Do you move patients no longer receiving specific stroke intervention to other wards if you need the bed for another stroke patient?	<ul><li>Yes</li><li>No</li><li>Only in exceptional circumstances</li></ul>	
C14 Co	ommunity based rehabilitation	1	
14.1	Does your service provide community-based rehabilitation?	o Yes o No	If 14.1 is 'Yes', complete the rest of C14 If 14.1 is 'No', proceed to C15
14.1a	How many new patient referrals of all types/conditions has this service received in the last 12 calendar months	[20-3000 integer]	This refers to ALL patients who have to come to the service within the last 12 months. A re-referral of a patient can be included.

			Recognising that SSNAP may not hold records for 100% of stroke patients, please verify your data with local records to give as accurate information as you are able.
14.2	How many days per week is this service provided?	<ul> <li>Fewer than 5 days</li> <li>5 days</li> <li>6 days</li> <li>7 days</li> </ul>	Select one option only  The number of days a week this service is available to patients who require it. If in the working week only, please select 5 days per week etc.
14.2a	If 6 days or 7 days is chosen, the weekend service is:	<ul> <li>New patients/emergencies only</li> <li>Reduced rehabilitation service</li> <li>Identical service Monday-Sunday (with full access to an MDT)</li> </ul>	Unavailable if 14.2 = 'Fewer than 5 days' or '5 days'
14.3	Can people with stroke be re- referred back to this service after discharge?	o Yes o No	This question refers to the facility for patients to be referred back to the service for further treatment of the same stroke at any time after they have been discharged from the service.
14.3a	If yes, how are they re-referred?	<ul> <li>Directly (self, patient and/or carer)</li> <li>Hospital/secondary care</li> <li>GP/primary care</li> <li>Third sector support services (e.g. Stroke Association Connect)</li> </ul>	Unavailable if 14.3 = No Select all that apply
14.4	Where are treatment/assessment sessions provided?	<ul> <li>Acute hospital</li> <li>Community hospital</li> <li>Doctor's surgery/health centre/clinic</li> <li>Leisure Centre/Gym</li> </ul>	Select all that apply  The location(s) where face-to-face therapy and/or

		<ul><li>Patient/carer/family member's home</li><li>Care home</li></ul>	treatment sessions are provided.
14.5	Is there a waiting list for this service?	o Yes o No	
14.5a	If yes, over the last year, has this average waiting time:	<ul><li>Stayed the same</li><li>Increased</li><li>Decreased</li></ul>	Unavailable if 14.5 = No
14.5b	Does the service have an agreed approach to managing waiting lists?	<ul><li>Yes</li><li>No</li></ul>	Unavailable if 14.5 = No
14.6	Does this service treat/assess patients who live in care homes?	<ul><li>Yes</li><li>No</li></ul>	The term care home includes nursing and residential homes.
14.7	Does a member of this team attend multidisciplinary team meetings (MDT) at the local acute hospitals to discuss stroke patients currently receiving acute care?	<ul><li>Yes</li><li>No</li></ul>	For the meeting to be considered multidisciplinary, at least two or more different staff disciplines are present and contribute to the discussion of individual stroke patients. The decisions of the meeting must be recorded.
14.8	Is there a limit for how long stroke patients have access to this service?	<ul><li>Yes</li><li>No</li></ul>	Select one option This question only refers to the initial referral, not any subsequent referrals.  If yes is selected, 14.8a must be answered  If no is selected, 14.8a cannot be answered.

14.8a	If yes, how is this measured?	Duration  • 0-6 weeks  • 7-12 weeks  • 13-26 weeks  • >26 weeks  Appointments  • 5 sessions  • 6-10 sessions  • 11-15sessions  • 16+ sessions	Unavailable if 14.8 = No Select one  Select either by duration or appointments by which is most appropriate for this service.  If by duration, then this is measured in weeks If by appointments, then the number of sessions.
14.9	Does your service offer functional electrical stimulation?	<ul> <li>Yes</li> <li>No</li> <li>No but</li> </ul>	This refers to FES only i.e. foot drop/ gait management and does not include e-stim or other forms of electrical stimulation.
14.10	Do patients in your service have access to gym equipment to carry out cardiovascular exercise?	<ul><li>Yes</li><li>No</li><li>No but</li></ul>	
14.11	Does your service provide a spasticity service?	<ul><li>Yes</li><li>No</li><li>No but</li></ul>	This includes the ability to provide botulinum toxin injections  If spasticity management is available through external referral rather than within your service, select 'No but'.
14.12	Does your service have a formal referral pathway for people with stroke within community-based psychological support services (e.g. IAPT)?	<ul> <li>Yes, general offer</li> <li>Yes, stroke specific programme offered</li> <li>No</li> <li>No but</li> </ul>	These are primary care based psychological care services, that typically offer counselling and/or CBT for the general population. In England these are commonly referred to as IAPT services. Please indicate if patients in your service are able to be referred to IAPT services

14.13	Does your service provide or loan devices for patients to access	o Yes o No	
	telerehabilitation?	o No but	
14.14	Which of the following criteria does your service meet?	<ul> <li>Shared clinical caseload</li> <li>One management structure</li> <li>Single point of access/referral route</li> <li>Staffing establishment/budget is combined- with staff able to work flexibly across team functions as required</li> <li>No requirement for referral to another part of the same team (i.e. from ESD to CST)</li> <li>None of the above</li> </ul>	Select all that apply  (Only available if ESD and CRT selected as service function)
C15 Vo	ocational Rehabilitation		
15.1	Is this service commissioned to provide vocational rehabilitation?	<ul> <li>Yes</li> <li>No</li> <li>Not commissioned but provided</li> </ul>	If No, 15.1a must be answered – the rest of 15 is then unavailable.  If 'Yes' or 'Not commissioned but provided', 15.1a cannot be answered 15.1ai-15.1aiii must be answered  'commissioned' refers to 'required' for Welsh/NI clarification.  This will be specifically mentioned in your service specification
			A service that supports stroke patients to return

			and remain in work. Vocational rehabilitation programmes for people after stroke should include:  • assessment of potential problems in returning to work, based on the work role and demands from both the employee's and employer's perspectives.  • an action plan for how problems may be overcome.  • interventions specifically designed for the individual which may include: vocational counselling and coaching, emotional support, adaptation of the working environment, strategies to compensate for functional limitations in mobility and arm function, and fatigue management.  • clear communication between primary and secondary care teams and including the person with stroke, to aid benefit claims or to support a return to work. RCP National Clinical Guideline for stroke 2016 (p56):  (https://www.strokeaudit.org/Guideline/Guideline-Home.aspx)
15.1a	If no, is there an alternative local service you can refer people with stroke to for vocational rehabilitation (e.g. other rehabilitation services or charities)?	<ul><li>Yes</li><li>No</li></ul>	Unavailable if 15.1 = 'Yes' or 'Not commissioned but provided',  If yes, 15.1ai must be answered
15.1ai	What is the name of the vocational rehabilitation service?	Free text	Unavailable if 15.1a = No  If 15.1a is yes please provide a name for this service

15.1aii	Is this vocational rehabilitation service local or regional?	o Local o Regional	Unavailable if 15.1a = No
15.1aiii	Is this vocational rehabilitation service stroke/neuro specific?	o Yes o No	Unavailable if 15.1a = No
15.2	What level(s) of vocational rehabilitation does your service provide?	o Level 2 o Level 3	NHS England VR tool kit Level 1: Specialist VR Any stroke survivor with a disability that prevents their return to work and/or for whom the return to work plan will take longer than 6 months to implement Level 2: Return-to-Work service Stroke survivors who have a job to return to and want/ need support to do so; or require advice on alternative options (i.e. redeployment, medical retirement, etc.). A return to work plan should be implemented within six months Level 3: Advice and signposting on return-to-work planAll stroke survivors, regardless of age, should be offered appropriate advice, signposting and referral for more support to return to work
15.3	What disciplines are responsible for delivering vocational rehabilitation for this service?	<ul> <li>Clinical psychologist</li> <li>Occupational therapist</li> <li>Physiotherapist</li> <li>Social worker</li> <li>Specialist nurse</li> <li>Speech and Language therapist</li> <li>Rehabilitation/Therapy assistant</li> <li>Family/carer support worker</li> </ul>	Select all that apply

15.4	Is there a waiting list for vocational rehabilitation in this service?	o Yes o No	
15.4a	If yes, what is the current average waiting time?	1-200 [weeks]	Unavailable if 15.4 = No
			Answer in whole weeks
15.5	Who is offered vocational rehabilitation by this service?	<ul> <li>All people with stroke of working age</li> <li>Only people with stroke considered fit enough to return to work</li> <li>Only people with stroke considered fit enough to return to work and who were not previously unemployed</li> </ul>	Available If 'yes' to 15.1  Vocational rehabilitation in relation to stroke patients only.  This could include people considered potentially fit enough to return to work
15.6	When can a person with stroke access vocational rehabilitation from this service?	<ul> <li>Upon discharge/referral from inpatient care</li> <li>Upon discharge/referral from community-based care</li> <li>On their return to work</li> <li>Self-referral</li> </ul>	Select all that apply  Available If 'yes' to 15.1
15.7	How long is vocational rehabilitation offered for by this service?	<ul> <li>For a set number of sessions</li> <li>As long as a person requires to meet their goals</li> </ul>	Select one option only
15.8	Where is vocational rehabilitation provided by this service?	<ul> <li>In a vocational rehabilitation clinic setting</li> <li>In the person's own home or place of residence</li> <li>In the workplace</li> </ul>	Select all that apply
15.9	Which of the following are routinely used/carried out in this service?	<ul> <li>Fit notes</li> <li>Formalised work role analysis (such as a physical demands assessment or cognitive demands analysis)</li> </ul>	Select all that apply

		<ul> <li>Return to work planning schedules</li> <li>Supported meetings with employers         (including line managers, HR or         Occupational Health)</li> </ul>	
15.10	Which of these measures are routinely recorded by this service?	<ul> <li>Work productivity and activity impairment questionnaire</li> <li>Work and social adjustment scale</li> <li>Work ability support scale</li> <li>None of the above</li> </ul>	
15.11	When is a vocational rehabilitation follow-up provided?	<ul> <li>Self-referral option if required</li> <li>Work review at key point such as end of a graded return</li> <li>Formal vocational rehabilitation review at 3 or 6 months</li> <li>No vocational rehabilitation follow-up provided</li> </ul>	

Section	Section D				
Question	Data item	Answer options	Notes		
No					
16.1	Are you commissioned (or in Wales and Northern Ireland expected) to carry out 6-month reviews?	o Yes o No	Select one option only		
16.2	Do any staff from this service routinely carry out 6-month reviews of people with stroke?	<ul><li>Yes</li><li>No</li></ul>	Select one option only If 'No' The rest of D16 is unavailable		

16.3	If yes, which disciplines routinely carry out six-month reviews?	<ul> <li>Stroke specialist doctor (Consultant level/ Staff Grade)</li> <li>Non-specialist doctor (Consultant level/ Staff Grade)</li> <li>ACP or ANP</li> <li>Resident doctor</li> <li>GP</li> <li>Nurse</li> <li>Occupational therapist</li> <li>Physiotherapist</li> <li>Speech and Language Therapist</li> <li>Clinical psychologist</li> <li>Social worker</li> <li>Support worker/therapy assistant</li> <li>Dietitian</li> <li>Orthotist</li> <li>Orthotist</li> <li>Podiatrist</li> <li>Voluntary sector employee</li> </ul>
16.4	Which patients are offered a 6-month review by this service?	<ul> <li>Patients previously under the care of this service</li> <li>Patients within this service's catchment area</li> <li>Unavailable if 16.2 = No</li> <li>Select all that apply</li> </ul>
16.5	Is a standardised template/proforma used for your 6 month reviews, such as the GM Sat?	<ul> <li>Yes</li> <li>No</li> </ul> Unavailable if 16.2 = No
16.6	If patients have unmet need identified at 6 month review, can you refer back to stroke specialist community services for further input?	<ul><li>Yes</li><li>No</li></ul> Unavailable if 16.2 = No

16.6a	If no, where can you/do you signpost/refer patients to:	0 0	GP Voluntary services General (non-stroke specialist) rehabilitation services	Unavailable if 16.6 = Yes
16.7	Is data regarding progress and/or ongoing needs of stroke survivors identified at 6 months discussed at clinical service meetings?	0 0 0	Yes - within 6 month review service only Yes - in regional meetings Yes - in local whole pathway stroke meetings No	Unavailable if 16.2 = No